CONTENTS

Aromatic hydrocarbons formation during coal pyrolysis
R. Cyprès (Bruxelles, Belgium) 1
The influence of pyrolysis conditions on the reactivity of char in H_2O
C.T. Chitsora, H.-J. Mühlen, K.H. van Heek and H. Jüntgen (Essen, F.R.G.) 17
Product distribution and sulfur forms in the low temperature pyrolysis of a Spanish subbituminous coal
J.V. Ibarra, J.L. Miranda and A.J. Perez (Zaragoza, Spain) 31
Characterization of coal pyrolysis by means of differential scanning calorimetry. I. Quantitative heat effects in an inert atmosphere
P.J.J. Tromp, F. Kapteijn and J.A. Moulijn (Amsterdam, The Netherlands) 45
Prediction and modeling of coal conversion reactions by pyrolysis mass spectrometry and multivariate statistical analysis
H.L.C. Meuzelaar, B.L. Hoesterey, W. Windig and G.R. Hill (Salt Lake City, UT, U.S.A.) 59
The effect of chloroform extractables on tar formation in flash pyrolysis and catalytic flash pyrolysis
R.J. O'Brien, J.R. Gibbins and R. Kandiyoti (London, U.K.) 71
Flash hydropyrolysis of a high ash Brazilian coal
M.O. Cencig, G.J.S. Ciampi and C.A. Luengo (São Paulo, Brazil) 83
A critical temperature threshold for coal hydropyrolysis
M.L. Gorbaty and P.S. Maa (Annandale, NJ, U.S.A.) 91
Hydropyrolysis of a Spanish lignite
R. Cyprès (Bruxelles, Belgium) and R. Moliner (Zaragoza, Spain) 101
Effect of coal and char properties on gasification
K.H. van Heek and H.-J. Mühlen (Essen, F.R.G.) 113
Characterization of coal char reactivity in fluidized bed gasifier
T. Adschiri and T. Furusawa (Tokyo, Japan) 135
Thermogravimetric apparatus for characterization of coal with regard to pyrolysis and gasification under pressures up to 100 bar
H.-J. Mühlen and A. Sulimma (Essen, F.R.G.) 145
Low-rank coal slurries for gasification
W.G. Wilson, S.A. Farnum, G.G. Baker (Grand Forks, ND, U.S.A.) and G.H. Quentin (Palo Alto, CA, U.S.A.) 157
Coal combustion characterisation studies at the International Flame Research Foundation
M.E. Morgan and P.A. Roberts (IJmuiden, The Netherlands) 173
Coal characteristics important to pulverized coal processes
R.E. Gannon, J.S. Abichandani (Everett, MA, U.S.A.) and K.G. Neoh (Singapore) 189
Combustion behaviour for a coal containing a high proportion of pseudovitrinite
M. Bengtsson (Nyköping, Sweden) 201
The influence of rank and maceral composition on ignition and char burnout of pulverized coal
N. Oka, T. Murayama, H. Matsuoka, S. Yamada, T. Yamada, S. Shinozaki (Chiba, Japan), M. Shibaoka and C.G. Thomas (North Ryde, Australia) 213
Chemical structure changes in coals after low-temperature oxidation and demineralization by acid treatment as revealed by high resolution solid state ^{13}C NMR
P. Tekely, D. Nicole, J.-J. Delpuech (Vandoeuvre-les-Nancy, France), E. Totino and J.F. Muller (Metz, France) 225

Low-temperature oxidation of bituminous coal: Its detection and effect on coal conversion
F.E. Huggins, G.P. Huffman, G.R. Dunmyre, M.J. Nardozzi (Monroeville, PA, U.S.A.) and M.C. Lin (Allentown, PA, U.S.A.) 233
A comparison of various characterization techniques for low-temperature oxidation of coal
A. Cagigas, J.B. Escudero (Oviedo, Spain), M.J.D. Low (New York, NY, U.S.A.), J.J. Pis (Oviedo, Spain) and J.M.D. Tascon (Oviedo, Spain and New York, NY, U.S.A.) 245
Characterisation of organic coal structure for liquefaction
C.E. Snape (Cheltenham, U.K.) 257
Relationship of coal characteristics to coal reactivity for direct hydrogenation liquefaction
R.M. Baldwin, K.J. Voorhees and S.L. Durfee (Golden, CO, U.S.A.) 281
Chemical and petrographic characterization and liquefaction yields of Spanish coals
J.A. Legarreta, P.L. Arias and I. de Marco (Bilbao, Spain) 293
Radical hydrogenation of coal studied by field ionization mass spectrometry
H.-R. Schulten (Wiesbaden, F.R.G.) and A. Marzec (Gliwice, Poland) 307
Structural features of low-rank coals important in liquefaction, bioconversion and gasification
E.S. Olson, J.W. Diehl and M.L. Froehlich (Grand Forks, ND, U.S.A.) 319
Hydrogenation of brown coals – Relations between selected lithotypes and liquid products
M. Gutmann, G. Keil, H. Klare, M. König and D. Radeck (Berlin, G.D.R.) 327
Asphaltenes and preasphaltenes in direct coal liquefaction – Changes in heteroatom content
W. Kemp, W. Steedman, D.A. Scott (Edinburgh, Great Britain) and M.A. Thomson (Worthington, OH, U.S.A.) 341
The functionality of nitrogen in coal and derived liquids: An XPS study
K.D. Bartle (Leeds, Great Britain), D.L. Perry (Middlesex, Great Britain) and S. Wallace (Leeds, Great Britain) 351
Characterization of organic sulfur functional groups in coal by means of temperature programmed reduction
B.B. Majchrowicz, J. Yperman, G. Reggers, J.P. François, J. Gelan, H.J. Martens, J. Mullens and L.C. Van Poucke (Diepenbeek, Belgium) 363
Using stable isotopes to monitor forms of sulfur during desulfurization processes: A quick screening method
C.-L. Liu, K.C. Hackley, D.D. Coleman and C.W. Kruse (Champaign, IL, U.S.A.) 377
Characterization of coal structure by CP/MAS carbon-13 NMR spectrometry
T. Yoshida and Y. Maekawa (Sapporo, Japan) 385
Structural characterization of lignite coals and char with $CaCl_2$
W.P. Pan and M.A. Serageldin (Houghton, MI, U.S.A.) 397
Modelling the structure of a coking coal
L. Lazarov and S.P. Marinov (Sofia, Bulgaria) 411
Brown coals for supercritical gas extraction
G. Deák and L. Péchy (Veszprém, Hungary) 423
Efficacy of coal-bitumen co-processing as determined by isotopic mass balance calculations
J.G. Steer (Edmonton, Albert, Canada), T. Ohuchi (Devon, Alberta, Canada) and K. Muehlenbachs (Edmonton, Alberta, Canada) 429
Author Index 439